


[Q89-Q111 C_FIOAD_1909 Exam Brain Dumps - Study Notes and Theory [Jun-2022]



[Q89-Q111] C_FIOAD_1909 Exam Brain Dumps - Study Notes and Theory [Jun-2022]

C_FIOAD_1909 Exam Brain Dumps - Study Notes and Theory [Jun-2022]

100% Guaranteed Results C_FIOAD_1909 Unlimited 159 Questions

What is the cost of SAP Fiori System Administration

The cost of SAP Fiori System Administration is \$250.

- Passing Score: 63%- Format: Multiple choices, various answers- Number of Questions: 80- Length of Examination: 180 minutes **NEW QUESTION 89**

What are the SAP Fiori design guidelines? Note: There are 3 correct Answers to this question.

- * Native
- * Intuitive
- * Simple
- * Coherent
- * Role-based

NEW QUESTION 90

What can you configure by maintaining table HTTPURLLOC?

- * The path of the URL launched by transaction /UI2/FLP

- * The URL used by classic applications
- * The hostname of the URL launched by transaction /UI2/FLP
- * The URL of a local Web server for user assistance resources

NEW QUESTION 91

Which selection options do you have when you execute program /UI2/INVALIDATE_CLIENT_CACHES?

Note: There are 2 correct Answers to this question.

- * For all users
- * For all clients
- * For a selected user
- * For the current client

NEW QUESTION 92

Which model types are supported by SAPUI5?

- * Translation model
- * OData model
- * Resource model
- * XML Model
- * JSON model

NEW QUESTION 93

Which layers of settings are available for SAP Fiori?

- * Internationalization
- * Configuration
- * Personalization
- * Customizing

NEW QUESTION 94

You are maintaining a user master record in AS ABAP. What can you conclude from the value FI in the User Group field as highlighted in the screenshot below?

- * The current user is user administrator for users assigned to user group FI.
- * Only user administrators with authorization S_USER_GRP = FI can maintain the current user.
- * The current user gets additional authorizations that are assigned to user group FI in transaction SUGR.
- * This entry is for reporting reasons only.

NEW QUESTION 95

Which databases are supported for an SAP Fiori FES 6.0 central hub system when combined with an SAP S/4HANA 1909 BES system?

- * SAP HANA
- * SAP MaxDB
- * Oracle Database
- * SAP ASE
- * SAP IQ

NEW QUESTION 96

Which software component contains the SAP Fiori launchpad?

- * SAP_UI
- * SAP_BASIS
- * SAP_ABA
- * SAP_GWFND

NEW QUESTION 97

Which tools can be used to create SAP Fiori catalogs? Note: There are 3 correct Answers to this question.

- * Launchpad customizing (LPD_CUST)
- * SAP Fiori launchpad content manager (/UI2/FLPCM_CUST)
- * Mass maintenance for app descriptors (MM_APP)
- * SAP Fiori launchpad designer (/UI2/FLPD_CUST)
- * SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)

NEW QUESTION 98

You want to work with the SAP Gateway performance trace tool (transaction /IWFND/TRACES). What can you configure? Note: There are 2 correct Answers to this question.

- * The duration in hours for the active trace
- * The number of days to keep the performance trace data
- * The maximum number of entries in the trace
- * The application server(s) on which the trace is activated

NEW QUESTION 99

Which control is used in the index.html file to support letterboxing if required?

- * sap.ui.core.ComponentContainer
- * sap.ui.core.View
- * sap.ui.core.Component
- * sap.m.Shell

NEW QUESTION 100

Which HTTP verb is used to pass information to the service to create an entity?

- * PUT
- * GET
- * DELETE
- * POST

NEW QUESTION 101

What is one difference between users of user types Service and Dialog in an ABAP-based SAP system?

- * Users of user type Service can only be assigned to one user group.
- * Users of user type Service are assigned to more restricted password policies.
- * Users of user type Service cannot be forced to change their password regularly.
- * Users of user type Service cannot logon to the SAP system using SAP GUI.

NEW QUESTION 102

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct Answers to this question.

- * By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)
- * By assigning the authorization to start transaction SEARCH_SAP_MENU
- * By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL_GUI_MENU
- * By applying the correct settings in the SAP Fiori launchpad configuration (transaction

/UI2/FLP_SYS_CONF or /UI2/FLP_CUS_CONF)

NEW QUESTION 103

Which clients can be used for SAP Fiori?

- * SAP Business Client
- * SAP Easy Access
- * Web Browser
- * SAP Logon

NEW QUESTION 104

Which of the following are goals of the 360-degree Research phase of design thinking?

- * Create a deep empathy with the potential user of the solution
- * Observe the environment and activities of people who may utilize the solution
- * Limit the focus to only “mainstream” users
- * Create composite characters called personas

NEW QUESTION 105

You are running an ABAP-based SAP system with embedded SAP Web Dispatcher. You want to allow an existing ICF service to be called with a meaningful, non-technical name (such as

https://<host>:<port>/<meaningful name>). What is the recommended way to achieve this?

- * Create a Web service with meaningful name (transaction SOAMANAGER).
- * Create an external alias (transaction SICF).
- * Adapt the dispatching table (SAP Web Dispatcher Administration UI).
- * Create an internal reference (transaction SICF).

NEW QUESTION 106

Which binding modes are supported by SAPUI5?

- * Two-way
- * Once
- * One-way
- * One-time
- * Single-time-only

NEW QUESTION 107

What is the starting point of rapid activation for SAP Fiori?

- * Business catalogs
- * Business users
- * Business roles
- * Business catalog groups

NEW QUESTION 108

Which ABAP transactions can be used to analyze the intents used in target mappings?

- * /UI2/FLC
- * /UI2/FLT
- * /UI2/FLP
- * /UI2/FLIA

NEW QUESTION 109

Why was the application code rewritten for SAP S/4HANA?

- * To work with a more simplified data model purpose-built for SAP HANA
- * To ensure that it could be ported to all database types
- * To make it specific to column store databases
- * To take better advantage of the processing power of SAP HANA.

NEW QUESTION 110

In what way can SAP Fiori search requests be forwarded to an SAP S/4HANA system? Note: There are 2 correct Answers to this question.

- * As an HTTP request to the connector administration cockpit
- * As an OData request to ESH_ADMIN_SRV
- * As an InA request to SAP HANA enterprise search
- * As an OData request to ESH_SEARCH_SRV

NEW QUESTION 111

For an SAP S/4HANA 1909 system, you want to ensure that the system administrators have a different password policy from the end users. How can this be achieved?

- * By assigning the system administrators to user group SUPER
- * By setting profile parameters accordingly
- * By assigning a security policy to the system administrators
- * By assigning the proper authorization to the system administrators

C_FIOAD_1909 Dumps PDF - Want To Pass C_FIOAD_1909 Fast:
https://www.braindumpsit.com/C_FIOAD_1909_real-exam.html