
# C\_FIOAD\_2020 Pre-Exam Practice Tests (Updated 150 Questions) [Q44-Q60



# $C\_FIOAD\_2020\ Pre-Exam\ Practice\ Tests\ |\ (Updated\ 150\ Questions)\ Valid\ C\_FIOAD\_2020\ Exam\ Q\&A\ PDF\ -\ One\ Year\ Free\ Update\ QUESTION\ 44$

Which transactions can you use to check the consistency of catalogs and target mappings? There are 2 correct answers to this question.

- \* /UI2/LOG
- \* /UI2/FLIA
- \* /UI2/FLT
- \* /UI2/FLC

#### **QUESTION 45**

What is one difference between users of user types of Service and Dialog in an ABAP-based SAP system?

- \* Users of user type Service cannot be forced to change their password regularly.
- \* Users of user type Service can only be assigned to one user group.
- \* Users of user type Service cannot logon to the SAP system using SAP GUI.

\* Users of user type Service are assigned to more restricted password policies.

# **QUESTION 46**

Which app types need SAP HANA as system database? There are 3 correct answers to this question.

- \* Legacy
- \* Object page
- \* Fact sheet
- \* Transactional
- \* Analytical

#### **OUESTION 47**

Which SAP Fiori Floorplan provides all the information a user needs in a single page. Based on the specific domain or role of the user?

- \* List report
- \* FLP Initial page
- \* Overview page
- \* Fact sheet

### **QUESTION 48**

You want to add an SAP Fiori group to a user \$\&\pm\$8217;s SAP Fiori launchpad to what do you have to assign the SAP Fiori launchpad to what do you have to assign SAP Fiori group?

- \* To an SAP Fiori catalog of the user
- \* To a user group of the user
- \* To a user role of the user
- \* To a user profile of the user

### **QUESTION 49**

You want to enable workflow for SAP Fiori in an embedded deployment scenario. Which settings are needed for the corresponding system alias?

\* Local Gateway = true

For LocalApp = true

\* Local Gateway = true

For LocalApp = false

\* Local Gateway = false

For LocalApp = false

\* Local Gateway = false

For LocalApp = true

# **QUESTION 50**

You want to enable communication between the SAP web dispatcher and an ABAP-based SAP system. How do you check prerequisites for the SAP web dispatcher? There are 2 correct answers to this question.

- \* Ensure that ICF service /sap/public/icf\_info/icr\_groups is active
- \* Determine the HTTP port of the ABAP message server
- \* Determine the HTTP port of the PAS instance's ICM Process
- \* Ensure that ICF service/sap/public/ping is active

#### **OUESTION 51**

You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- \* X.509 client certificates
- \* ABAP Session security
- \* SAP logon tickets
- \* SAML2.0

# **QUESTION 52**

What is the database equivalent to an ABAP Managed Database Procedure (AMDP)?

- \* Function import
- \* Stored procedure
- \* Aggregate function
- \* Guided procedure

## **QUESTION 53**

What is the minimum number of dialog work processes per ABAP dispatcher?

- \* 1
- \* ()
- \* 4
- \* 2

# **QUESTION 54**

How can you register multiple SAP Gateway services simultaneously? There are 2 correct answers to this question.

- \* Using transaction /IWFND MAINT\_SERVICE.
- \* Using task list SAP\_GATEWAY\_BASIC\_CONFIG.
- \* Using transaction IWFND GW\_CLIENT.
- \* Using task list SAP\_GATEWAY\_ACTIVATE\_ODATA\_SERV.

#### **QUESTION 55**

What are the advantages of using central hub deployment in an SAP Fiori environment compared to embedded deployment? There are 3 correct answers to this question.

- \* Independent lifecycles of SAPUI5 Applications and back-end implementations
- \* Improved Security for internet-facing scenarios
- \* Support of routing and composition of multiple BES Systems
- \* Improved data changes tracking when using a single service user in the BES system
- \* Better performance by reducing the number of remote function calls

#### **QUESTION 56**

What can you use the combination of SAP Fiori apps reference library and the maintenance planner for? There are 2 correct answers to this question.

- \* list the SAP Fiori apps that are the currently implemented in your SAP Fiori System Land scape
- \* Download the software packages required to implement a set of SAP Fiori apps
- \* Prepare the installation of new systems that meet the prerequisites of multiple SAP Fiori apps
- \* Deploy a set of SAP Fiori apps in your SAP Fiori system Landscape

#### **QUESTION 57**

What information do you have to provide during the installation of an SAP web dispatcher as it relates to the ABAP-based SAP system? There are 2 correct answers to this question.

- \* The instance number of the primary applications server (PAS) of the SAP system
- \* The system ID (SID) of the SAP system
- \* The HTTP port of the message server of the SAP system
- \* The ICF service in SAP system that is required by SAP web dispatcher

# **QUESTION 58**

In an SAP Fiori embedded deployment, how can you register an SAP Gateway service? There are 2 correct answers to this question.

- \* Processing mode Routing-Based with system alias LOCAL
- \* Processing mode Co-Deployed with system alias LOCAL
- \* Processing mode Routing-Based without system alias
- \* Processing mode Co-Deployed without system alias

# **QUESTION 59**

You want to set up user assistance for SAP Fiori. How do you enable the SAP web dispatcher to access the content platform and script server hosted by SAP?

- \* Import the root certificate of the content platform and script server into the SAP web dispatcher \$\&\pm\$8217;s client PSE
- \* import the root certificate of the content platform and script server into the SAP web dispatcher's server PSE
- \* For the SAP web dispatcher, set profile parameter icm/HTTps/trust\_client\_with\_subject to the content platform and script server's root certificate.
- \* For the SAP web dispatcher, set profile parameter icm/trusted\_reverse\_proxy\_<x> to the subject and issuer of the content platform and script server&#8217;s root certificate.

# **QUESTION 60**

How can you configure the SAP Fiori launchpad? There are 2 correct answers to this question.

- \* Via app descriptors in transaction MM APP
- \* Via FLP settings in transaction /UI2/FLP\_CONF\_DEF
- \* Via target mappings in transact on /UI2/FLPD\_CUST
- \* Via system settings in transaction /UI2/FLP\_CUS\_CONF

Certified Technology Associate ? SAP Fiori System Administration Free Update Certification Sample Questions: <a href="https://www.braindumpsit.com/C\_FIOAD\_2020\_real-exam.html">https://www.braindumpsit.com/C\_FIOAD\_2020\_real-exam.html</a>]