
## Enhance your career with C\_HCMOD\_01 PDF Dumps - True SAP Exam Questions [Q49-Q66



Enhance your career with C\_HCMOD\_01 PDF Dumps - True SAP Exam Questions New (2022) Download free C\_HCMOD\_01 PDF for SAP Practice Tests

## C\_HCMOD\_01 Exam Certification Details:

Duration:180 minsCut Score:64%Languages:EnglishSample Questions: SAP C\_HCMOD\_01 Exam Sample Question Exam:80 questions

**Q49.** You implement a referential join between Table A and Table B, but when you query the calculation view, Table B is not pruned. What could be the problem? Note: There are 2 correct answers to this question.

- \* The Country column is requested.
- \* Integrity constraint is set to RIGHT.
- \* The Keep flag is activated for the Customer column.
- \* Join cardinality is set :1.

Q50. Why would you enable Debug Query mode in a calculation view?

- \* To set breakpoints and step through the execution
- \* To understand how tables are partitioned
- \* To check which database engines are invoked
- \* To identify data sources that are not accessed by a query

**Q51.** You have generated a calculation view properties file. What does it contain?

- \* Dependencies between calculation views
- \* Descriptions of all objects defined in a calculation view
- \* All settings defined in a calculation view
- \* Documentation to support the calculation view

Q52. In a calculation view, why would you implement an SQL expression? Note: There are 3 correct answers to this question.

- \* To convert currencies
- \* To define a filter
- \* To generate a calculated column
- \* To generate a restricted column
- \* To generate hierarchies

**Q53.** You combine two tables in a join node using multiple columns in each table. Why do you enable the dynamic join option? Note: There are 2 correct answers to this question.

- \* To allow data analysis at different levels of granularity with the same calculation view
- \* To force the calculation at the relevant level of granularity, even if this level is not the grouping level defined by the query
- \* To ensure that the join execution only uses the join columns requested in the query
- \* To ensure that the aggregation always happens after the join execution

**Q54.** You create a table function to remove historic records, sum the current total weekly working hours for each employee, and update the personnel table with the results. The deployment of the table function fails. Which of the following could be a valid reason?

- \* Your function includes a TRUNCATE statement.
- \* Your function refers to a scalar function.
- \* You did not define at least one input parameter.
- \* You did NOT define a valid table type.

Q55. What are some best practices when developing calculation views? Note: There are 2 correct answers to this question.

- \* Model star schemas using a sequence of join nodes.
- \* Aggregate at the lowest possible node.
- \* Avoid defining joins on calculated columns.
- \* Include all data flow logic within one calculation view.

**Q56.** What is generated when you deploy a CUBE calculation view design-time file? Note: There are 2 correct answers to this question.

- \* Cached results to improve read performance
- \* An SQL execution plan
- \* Metadata to enable consumption by external tools
- \* A column view in a container

Q57. What is the recommended tool for developing cloud foundry applications on SAP Business Technology Platform?

- \* SAP HANA Web IDE
- \* SAP Business Application Studio

This page was exported from - <u>IT Certification Exam Braindumps</u> Export date: Sat Apr 5 3:49:45 2025 / +0000 GMT

- \* SAP HANA Cloud Central
- \* SAP HANA cockpit

Q58. When is the first column store compression executed?

- \* When partitions are regenerated
- \* When a backup is started
- \* When a delta merge is triggered
- \* When the table is created

**Q59.** A new release of SAP HANA Cloud, SAP HANA database is available as of today. If you do not perform the upgrade manually, how much time do you have before your database will be automatically upgraded to the next release?

- \* 7 months
- \* 2 weeks
- \* 3 months
- \* 1 year

**Q60.** You deleted the design-time file of a calculation view in your HDB module. What is the recommended way to ensure that the corresponding runtime object is also removed from the database?

- \* Deploy the folder that contained the deleted design-time file.
- \* Execute a DROP statement in an SQL Console connected to the HDI container.
- \* Deploy the project that contained the deleted design-time file.
- \* Execute the refactor function for the calculation view.

Q61. Which solutions form the SAP Business Technology Platform? Note: There are 2 correct answers to this question.

- \* Intelligent Suite
- \* Analytics
- \* Experience Management
- \* Application Development & Integration

Q62. Which of the following techniques can you use to improve the performance of calculation views? Note:

There are 2 correct answers to this question.

- \* Limit the number of stacked calculation views.
- \* Implement union pruning.
- \* Avoid aggregating data early in the data flow.
- \* Partition large tables.

**Q63.** You have defined a pruning configuration table in a calculation view. What are you attempting to prune from the query execution?

- \* Data sources of unions
- \* Filters
- \* Joins
- \* Calculated columns

**Q64.** A calculation view includes a rank node that uses the source data and settings shown in the graphic.

Your query requests all columns of the rank node. How many rows are in the output of your query?

- \* 5
- \* 6
- \* 9

This page was exported from - <u>IT Certification Exam Braindumps</u> Export date: Sat Apr 5 3:49:45 2025 / +0000 GMT

\* 2

**Q65.** In Business Application Studio, you rename a DIMENSION calculation view that is used by a CUBE calculation view. You do NOT use the option to rename the runtime view and adjust the reference.

Afterward, you perform the following deploy operations: Deploy the DIMENSION calculation view as a single object. / Deploy the entire SAP HANA database module. / What is the outcome of the deploy operations?

- \* (a) The first deployment fails. (b) The second deployment is successful.
- \* (a) The first deployment is successful. (b) The second deployment fails.
- \* (a) The first deployment is successful. (b) The second deployment is successful.
- \* (a) The first deployment fails. (b) The second deployment fails.

**Q66.** What are possible consequences of unfolding? Note: There are 2 correct answers to this question.

- \* SQL compilation time increases
- \* Query processing time improves
- \* Count-distinct results are incorrect
- \* Results are read from static cache

100% Free C\_HCMOD\_01 Files For passing the exam Quickly: <a href="https://www.braindumpsit.com/C">https://www.braindumpsit.com/C</a> HCMOD\_01 real-exam.html