

## (Feb-2023) Latest C\_HANAIMP\_18 Dumps for Success in Actual SAP Certified [Q42-Q65]



(Feb-2023) Latest C\_HANAIMP\_18 Dumps for Success in Actual SAP Certified  
Changing the Concept of C\_HANAIMP\_18 Exam Preparation 2023

### QUESTION 42

Which are the components of SAP HANA Cloud? Note: There are 3 correct answers to this question.

- \* SAP Data Warehouse Cloud
- \* SAP HANA Cloud data lake
- \* Native Storage Extension
- \* SAP Analytics Cloud
- \* SAP HANA in-memory database

### QUESTION 43

Why does SAP issue warnings about the use of imperative or procedural SQLScript statements?

- \* They could modify the database.
- \* They call multiple processing engines.

- \* They introduce potential security risks.
- \* They can limit parallelization of query execution.

#### QUESTION 44

What are the consequences of NOT executing a delta merge?Note: There are 2 correct answers to this question.

- \* Aggregates are not adjusted.
- \* New records are not read.
- \* Read performance decreases.
- \* Memory is not optimized.

#### QUESTION 45

Which calendar types can be selected when creating time-based DIMENSIONS?Note: There are 2 correct answers to this question.

- \* Julian
- \* Gregorian
- \* Factory
- \* Fiscal

#### QUESTION 46

Why would you set the 'Ignore multiple outputs for filters' property in a calculation view?

- \* To ensure semantic correctness
- \* To force filters to apply at the lowest node
- \* To hide columns that are not required
- \* To avoid duplicate rows in the output

#### QUESTION 47

You want to join two tables in a calculation view. Why do you use a non-equi join?

- \* Join columns need to be ignored when NOT requested by the query.
- \* Join columns have different data types.
- \* The number of joined columns is different in each table.
- \* The join condition is not represented by matching values.

#### QUESTION 48

What is the SQL keyword used to process input parameters defined in a calculation view?

- \* Hint
- \* Placeholder
- \* Where
- \* Set

#### QUESTION 49

In an XS Advanced project, what is the purpose of the .hdiconfig file?

- \* To specify an external schema in which calculation views will get their data
- \* To specify which HDI plug-ins are available
- \* To specify the namespace rules applicable to the name of database objects
- \* To specify in which space the container should be deployed


### QUESTION 50

What can you do with shared hierarchies? Note: There are 2 correct answers to this question.

- \* Enable SQL SELECT statements to access hierarchies
- \* Provide reusable hierarchies for drilldown in a CUBE with star join
- \* Access hierarchies created in external schemas
- \* Provide reusable hierarchies for drilldown in a CUBE without star join

### QUESTION 51

You are building a new calculation view A that uses calculation view B, as shown in the diagram. When you preview the calculation view A, the Account Number is not masked.



What could be the reason?

- \* You previewed the data with the technical user in SAP Web IDE for SAP HANA.
- \* You did not define masking in calculation view A.
- \* The UNMASKED privilege for calculation view A has been granted.
- \* Analytic privilege \_SYS\_BI\_CP\_ALL has been assigned.


### QUESTION 52

Which options do you have to handle orphan nodes in your hierarchy? Note: There are 2 correct answers to this question.

- \* Assign them to a level below the root.
- \* Define an expression to determine a parent.
- \* Assign them to a node at the root level.
- \* Generate additional root nodes.

### QUESTION 53

You implement a referential join between Table A and Table B, but when you query the calculation view, Table B is not pruned. What could be the problem?



Note: There are 2 correct answers to this question.

- \* Join cardinality is set :1.
- \* The Country column is requested.
- \* Integrity constraint is set to RIGHT.
- \* The Keep flag is activated for the Customer column.

#### QUESTION 54

You have defined a pruning configuration table in a calculation view.What are you attempting to prune from the query execution?

- \* Data sources of unions
- \* Joins
- \* Filters
- \* Calculated columns

#### QUESTION 55

In a calculation view, why would you choose the DEPRECATED setting?Note: There are 2 correct answers to this question.

- \* To indicate that it should not be used as a data source to other calculation views
- \* To lock the calculation view from further modifications
- \* To warn developers that the calculation view is no longer supported
- \* To ensure it is not exposed to reporting tools for consumption

#### QUESTION 56

Which tool generates and executes the SQL for a specific node of your calculation view?

- \* Debug Query mode
- \* Explain plan
- \* SQL analyzer
- \* Database explorer

#### QUESTION 57

When modeling in the SAP Web IDE for SAP HANA, which object do you build to provide access to tables in external schemas?

- \* Virtual Table
- \* Synonym
- \* Association
- \* Alias

#### QUESTION 58

You import a project that includes an SAP HANA database (HDB) module to your workspace. You need to create a calculation view

that uses data from a table located in an external schema within the same local database. Which of the following items do you need? Note: There are 2 correct answers to this question.

- \* Authorization
- \* Synonym
- \* SQL view
- \* Remote source

### QUESTION 59

You created a table and inserted data in it using SQL statements inside the SAP HANA Deployment Infrastructure (HDI) container of your project. You add this table as a data source to a calculation view and try to build it. What do you observe in the SAP HANA database container?

- \* The build fails and the table is dropped.
- \* The build fails and the table is not dropped.
- \* The build is successful and the data preview returns expected data.
- \* The build is successful but the data preview returns an error message.


### QUESTION 60

You create a table function to remove historic records, sum the current total weekly working hours for each employee, and update the personnel table with the results. The deployment of the table function fails. Which of the following could be a valid reason?

- \* Your function refers to a scalar function.
- \* You did NOT define a valid table type.
- \* You did not define at least one input parameter.
- \* Your function includes a TRUNCATE statement.

### QUESTION 61

You want to map an input parameter of calculation view A to an input parameter of calculation view B using the parameter mapping feature in the calculation view editor. However, the input parameters of calculation view B are not proposed as source parameters. What might be the reason for this?



- \* You selected the wrong parameter mapping TYPE.
- \* Your source calculation view is of type DIMENSION.
- \* The names of the input parameters do not match.
- \* You already mapped the input parameters in another calculation view.

### QUESTION 62

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view. Which function of SAP Web IDE for SAP HANA do you use to check where the output columns originate from?

- \* Label column
- \* Show lineage
- \* Impact analysis
- \* Where used

### QUESTION 63

Why would you develop an SQL procedure instead of a function? Note: There are 3 correct answers to this question.

- \* You want to create a dynamic analytic privilege.
- \* A temporary table must be created within the code.
- \* Optimal performance is a priority.
- \* The code should modify data in a table.
- \* You need to use conditional logic.

### QUESTION 64

How can you define a variable that presents its value help hierarchically? Note: There are 2 correct answers to this question.

- \* Create a parent-child hierarchy and assign it to the variable. Ensure the variable's reference column is the parent attribute of the hierarchy.
- \* Create a level hierarchy and assign it to the variable. Ensure the variable's reference column is the leaf level of the hierarchy.
- \* Create a parent-child hierarchy and assign it to the variable. Ensure the variable's reference column is the child attribute of the hierarchy.
- \* Create a level hierarchy and assign it to the variable. Ensure the variable's reference column is the top level of the hierarchy.

### QUESTION 65

Why do you use parameter mapping in a calculation view? Note: There are 2 correct answers to this question.

- \* To convert the data types of input parameters
- \* To assign variables to one or more attributes
- \* To push down filters to the lowest level calculation views
- \* To pass variable values to external value help views

**C\_HANAIMP\_18 Exam Crack Test Engine Dumps Training With 82 Questions:**

[https://www.braindumpsit.com/C\\_HANAIMP\\_18\\_real-exam.html](https://www.braindumpsit.com/C_HANAIMP_18_real-exam.html)