


Jul-2023 Free AD0-E711 Test Questions Real Practice Test Questions [Q15-Q30]



Jul-2023 Free AD0-E711 Test Questions Real Practice Test Questions
AD0-E711 Dumps Updated Jul 10, 2023 WIith 62 Questions

Adobe Commerce Developer Professional certification exam is an essential step for developers who want to demonstrate their expertise in Adobe Commerce development. AD0-E711 exam evaluates the candidate's skills and knowledge in developing, customizing and managing Adobe Commerce websites, and validates their proficiency in the platform. Adobe Commerce Developer Professional certification is a valuable asset for developers who want to advance their career in eCommerce development and demonstrate their commitment to professional development and continuous learning.

Q15. You are writing a customization for the customer module. You need to make sure the configuration files from your module are loaded after the customer module's configuration.

Where should the dependency be declared?

- * composer.json
- * etc/module.xml
- * etc/config.xml

* etc/di.xml

Q16. What is the length of the generated coupons if the developer has enabled the Auto Generate Coupon feature and has set the coupon prefix = NEWYEAR, coupon quantity = 5, and coupon length = 12?

- * 19
- * 12
- * 17

Q17. MagentoSalesModelApiOrderRepositoryInterface::getList accepts a SearchCriteriaInterface to filter and sort information.

What class assists in creating an instance for SearchCriteriaInterface?

- * MagentoFrameworkApiSearchCriteriaFactory
- * MagentoFrameworkApiSearchCriteriaBuilder
- * MagentoSalesModelOrderSearchCriteria
- * MagentoBackendApiSearchCriteriaGenerator

Q18. In which two directories are third-party modules located by default? (Choose two.)

- * app/modules/
- * app/packages/
- * app/code/
- * vendor/

In Magento, third-party modules are located by default in two directories: app/code/ and vendor/. The app/code/ directory is used for custom modules, while the vendor/ directory is used for modules installed via Composer. Reference:

<https://devdocs.magento.com/guides/v2.4/extension-dev-guide/build/module-file-structure.html>

Q19. You are creating a new page layout for your custom module.

What is the primary difference between container and block elements?

- * They extend different abstract classes
- * A container's children are rendered automatically
- * Only containers can be removed by name or alias
- * A block's position within the layout can be altered

Q20. What scopes are available for customer attributes?

- * Global only
- * Website only
- * Global and Website
- * Global, Website and Store

Q21. You are reviewing a theme in app/design/frontend/MyCompany/MyTheme and see the file etc/view.xml.

What is the function of this file?

- * It configures Grunt to compile assets for the theme
- * It stores theme and image configuration values
- * It specifies the applicable CSS files for the theme
- * It informs Magento that the theme is present and available for use

Q22. You have created a module controller that responds to the following URL: /mycompany/product/load/id/123.

Which two methods will load the product model by ID as specified in the URL? (Choose two.)

- * `MagentoCatalogModelResourceModelProduct::load($productModel, $id)`
- * `MagentoCatalogModelResourceModelProductCollection::load()->fetchById($id)`
- * `MagentoCatalogModelResourceModelProductCollection::fetchItemById($id)`
- * `MagentoCatalogApiProductRepositoryInterface::getById($id)`

Q23. A module declares the route:

```
<route id="mymodule" frontName="custom">
```

What is the layout handle of the storefront path `/custom/feature/`?

- * `mymodule_feature`
- * `custom_feature`
- * `mymodule_feature_index`
- * `custom_feature_index`

Q24. A new custom module is built for the existing Adobe Commerce store. A merchant has requested a few frontend updates. For this, a developer has to implement a custom style. What is the location of the less file that will be included by default?

- * `view/{area}/web/css/style.less`
- * `view/{area}/web/css/source/_module.less`
- * `view/{area}/web/css/source/main.less`

The location of the less file that will be included by default when implementing custom styles for a new custom module in an existing Adobe Commerce store is `view/{area}/web/css/source/_module.less`. This file is used to define custom styles for the module's frontend.

Q25. Which method type can be intercepted by plugins?

- * `static`
- * `public`
- * `final`

Only public methods can be intercepted by plugins in Magento. Static and final methods cannot be intercepted. Reference: <https://devdocs.magento.com/guides/v2.4/extension-dev-guide/plugins.html#before-after-and-around-methods>

Q26. What is the default store ID for the admin panel?

- * `1`
- * `-1`
- * `0`

Q27. Which directory contains language packages?

- * `i18n`
- * `phrases`
- * `translations`

Q28. A seller would like to offer an electronic version of an album by selling each song individually. Which layout can be used to customize a product page layout for this item?

- * `catalog_product_view_type_downloadable`
- * `catalog_product_view_category`
- * `catalog_product_view_type_configurable`

Q29. How can a developer prioritize a plugin's execution, if possible?

- * The developer can use `sortOrder` property by specifying a higher value than the target plugin.
- * This cannot be achieved as the plugins are always executed by their module's load order in `app/etc/config.php` file

* The developer can use sortOrder property by specifying a lower value than the target plugin.

Q30. A developer defined a new table in db_schema.xml while creating a new module.

What should be done to allow the removal of columns from the database when deleting them from db_schema.xml?

- * The columns should have <code>removable</code> attribute set to <code>true</code> in the db_schema.xml.
- * The removable columns should be defined in db_schema_whitelist.Json.
- * The removable columns should be defined in db_schema_blacklist Json.

To allow the removal of columns from the database when deleting them from db_schema.xml, the developer should define the removable columns in the db_schema_whitelist.Json file. This file serves as a whitelist for columns that can be safely removed during schema updates.

View All AD0-E711 Actual Free Exam Questions Updated: https://www.braindumpsit.com/AD0-E711_real-exam.html