
## 2023 Latest C-FIORDEV-22 dumps - Instant Download PDF [Q47-Q70



2023 Latest C-FIORDEV-22 dumps - Instant Download PDF Updated Verified C-FIORDEV-22 Downloadable Printable Exam Dumps

SAP C-FIORDEV-22 certification exam is a valuable certification for individuals who want to become certified SAP Fiori application developers. SAP Certified Development Associate - SAP Fiori Application Developer certification will validate the candidate's skills and knowledge in developing and deploying SAP Fiori applications and enhance their career prospects. The candidate must have a minimum of one-year experience in developing SAP Fiori applications and should have completed the relevant training to become certified.

**NO.47** You develop an SAPUI5 app that updates dat on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct answers to this question.

- \* Retrieve the token and send it with each write request
- \* Execute the Refresh method for an expired token.
- \* Include the token in the HTTP request body of each write request
- \* Generate a token on each read and write request

## NO.48 You develop an SAPUI5 app and implement a FacetFilter

What events are triggered when the user interacts with the FacetFilter control?

Note: There are 2 correct answers to this question.

- \* reset
- \* confirm
- \* Oninit
- \* listFilter

**NO.49** You need to securely connect the SAP Web IDE to an on-premise system How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- \* It creates connectivity by a reverse-invoke process on the on-premise system.
- \* It supports custom destination API configuration and certificate inspection.
- \* It secures an SSL tunnel between the SAP Cloud and the on-premise system.
- \* It initiates a cloud-based reverse-invoke process.

NO.50 What are Technical Catalogs used for? Note: There are 2 correct Answers to this question.

- \* To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- \* To store tiles and target mappings by technology per solution area
- \* As a reference for Business Groups
- \* As a reference for Business Catalogs

**NO.51** Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? Note: There are 2 correct answers to this question.



- \* Column:<column demandpopin=&#8221;true&#8221; maxscreenwidth=&#8221;mobile&#8221;></column>
- \* Column:<column demandpopin=&#8221;true&#8221; maxscreenwidth=&#8221;mobile&#8221; popindisplay=&#8221;Inline&#8221;x/column>
- \* Column:<column demandpopin=&#8221;true&#8221; minscreenwidth=&#8221;tablet&#8221;x/column>
- \* Column:<column demandpopin=&#8221;true&#8221; minscreenwidth=&#8221;tablet&#8221; popindisplay=&#8221;Inline&#8221;x/column>

**NO.52** In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question.

- \* /regions/companies/O/city
- \* /regions/1/companies/l/city
- \* /regions/0/companies/O/city
- \* /region[0]/companies[O]/city

**NO.53** In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

- \* X: /regions/0/companies Y: companies/0/name Z: companies/0/city
- \* X: /regions/companies Y: companies/name Z: companies/city
- \* X: /regions/companies Y: name Z: city
- \* X: /regions/0/companies Y: name Z: city

NO.54 Your customer extends an SAP Fiori app with View Replacement. Which activities do you perform? Note:

There are 2 correct Answers to this question.

- \* Verify that adding custom content in the Extension Points is NOT sufficient.
- \* Create an SAPUI5 control that replaces the original control.
- \* Create an SAPUI5 view that replaces the complete view.
- \* Identify a specific SAPUI5 control to be replaced.

**NO.55** Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header?Note: There are 2 correct Answers to this question.

- \* PUT
- \* GET
- \* POST
- \* DELETE

NO.56 How can you extend an SAP Fiori app?

Note: There are 3 correct answers to this question.

- \* Modify the runtime libraries that are to be loaded
- \* Modify the properties of the view control
- \* Modify the data model to merge data at runtime.
- \* Enable merging of the standard and the custom controller at runtime.
- \* Add custom view content in a predefined extension point.

**NO.57** Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

- \* Analytical List Page
- \* Wizard
- \* Initial Page
- \* Overview Page
- \* List Report

NO.58 You need to bind data from a model to an SAPUI5 view control.

Which of the following modes are valid?

Note: There are 3 correct answers to this question.

- \* One-time binding
- \* Three-way binding
- \* Resource-model binding
- \* Two-way binding
- \* One-way binding

**NO.59** What activity does the QUnit Stub functionality perform?

- \* Supplies parameters for method calls.
- \* Provides parameters and return values for method calls.
- \* Retuns values for method calls
- \* Verifies that expected methods are called correctly.

NO.60 Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- \* SAP Build
- \* UI Theme Designer
- \* SAP Business Application Studio

\* Adobe Flash

NO.61 In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- \* SAP Back-End Server (BES)
- \* SAP Front-End Server (FES)
- \* SAP HANA XS Engine
- \* SAP Web Dispatcher

NO.62 In the source code below, which of the following locations must reference the extension point?

- \* Neo-app.json
- \* Componente.js
- \* EmployeData.view.xml
- \* EmployeData.controller.js

## NO.63 What are Smart Controls?

- \* The predecessor of Smart Templates
- \* SAPUI5 controls that can be rendered dynamically according to OData service annotations
- \* Basic SAPUI5 controls recommended for standalone usage
- \* Application templates for SAPUI5 applications to optimize development

**NO.64** Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct Answers to this question.

- \* Create a model using the SAP Business Application Studio implementing the theme.
- \* Reference the relevant artifacts in the bootstrap of the app.
- \* Create a module using the Web IDE implementing the theme.
- \* Create a theme using the Theme Designer implementing the theme.
- \* Create a css file using the SAP Business Application Studio implementing the theme.

NO.65 What type of navigation is used in SAP Fiori Launchpad applications?

- \* Action-based navigation
- \* Scope-based navigation
- \* Target-based navigation

NO.66 Which methods can you use to bind data to the controls in SAPUI5? Note: There are 3 correct Answers to this question.

- \* Element
- \* Structure
- \* Property
- \* Combination
- \* Aggregation

NO.67 What activity does the QUnit Stub functionality perform?

- \* Supplies parameters for method calls.
- \* Verifies that expected methods are called correctly.
- \* Provides parameters and return values for method calls.
- \* Returns values for method calls.

NO.68 Which of the following tile types can use an OData service to set the title properties?

- \* Semi-dynamic
- \* Dynamic
- \* Static

NO.69 Which processes are part of the design phase when you develop SAP Fiori apps?

- \* Developing, Testing and Deploying
- \* Scoping, 360 degree research and Synthesis
- \* Requirement gathering, Research and Documentation
- \* Ideation, Prototyping and Validation

NO.70 Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct answers to this question.

- \* Apps can be developed and deployed in parallel
- \* The concrete app targets can be deployed separately.
- \* Interdependent targets must be deployed in a single transport request
- \* To support cross-app navigation.

To prepare for the SAP C-FIORDEV-22 exam, candidates can take advantage of various resources offered by SAP. These resources include e-learning courses, study guides, and certification practice tests. Candidates can also gain hands-on experience by developing SAP Fiori applications using SAP HANA Cloud Platform and SAPUI5 technology. Additionally, attending SAP Fiori application development training can help candidates prepare for the exam and gain a deeper understanding of SAP Fiori concepts and best practices.

The Ultimate SAP C-FIORDEV-22 Dumps PDF Review: <a href="https://www.braindumpsit.com/C-FIORDEV-22">https://www.braindumpsit.com/C-FIORDEV-22</a> real-exam.html]