

C-FIORDEV-22 Practice Dumps - Verified By BraindumpsIT Updated 85 Questions [Q25-Q43]



C-FIORDEV-22 Practice Dumps - Verified By BraindumpsIT Updated 85 Questions
Updated C-FIORDEV-22 Exam Dumps - PDF Questions and Testing Engine

SAP C-FIORDEV-22 certification exam is a computer-based exam that consists of 80 multiple-choice questions. C-FIORDEV-22 exam has a time limit of 180 minutes, and candidates must achieve a passing score of 64% to receive their certification. C-FIORDEV-22 exam is available in several languages, including English, German, Spanish, French, Japanese, and Chinese.

To prepare for the SAP C_FIORDEV_22 exam, candidates can take advantage of various resources offered by SAP, including online courses, webinars, and certification guides. These resources provide candidates with a comprehensive understanding of the topics covered in the exam and help them to develop the skills and knowledge required to pass the exam.

C-FIORDEV-22 Exam Certification Details:
Languages:EnglishCut Score:66%Level:Associate

Q25. How can you extend an SAP Fiori app?

Note: There are 3 correct answers to this question.

- * Modify the runtime libraries that are to be loaded
- * Modify the properties of the view control
- * Modify the data model to merge data at runtime.
- * Enable merging of the standard and the custom controller at runtime.
- * Add custom view content in a predefined extension point.

Q26. You develop an SAPUI5 app that can be extended. To allow your customer to customize notifications, you set up a hook method. What activities are required to set up a hook method? Note: There are 3 correct Answers to this question.

- * Modify the bootstrap option to allow multi-layer extensions of the custom code.
- * Identify a strategic location in the controller for the customized code.
- * Define a new function name ensuring it is reserved for the extension.
- * Create a .js file in the Util folder to allow the customer to add custom code.
- * Add a code snippet to check if the method exists and execute it.

Q27. You need to securely connect the SAP Web IDE to an on-premise system. How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- * It creates connectivity by a reverse-invoke process on the on-premise system.
- * It supports custom destination API configuration and certificate inspection.
- * It secures an SSL tunnel between the SAP Cloud and the on-premise system.
- * It initiates a cloud-based reverse-invoke process.

Q28. You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- * View Modification
- * View Replacement
- * View Extension
- * View Visibility

Q29. You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- * `assert.strictEqual(0,null,true);`
- * `assert.strictEqual(0,0,true);`
- * `assert.strictEqual(0, “,true);`
- * `assert.strictEqual(0,-0,true);`

Q30. You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- * `assert.strictEqual(0,0,true);`
- * `assert.strictEqual(0,,0,true);`
- * `assert.strictEqual(0/null,true);`
- * `assert.strictEqual(0,0,true);`

Q31. Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

- * Analytical List Page
- * Wizard
- * Initial Page
- * Overview Page
- * List Report

Q32. To which of the following does an SAP Fiori tile point to directly?

- * An SAP Fiori app

- * A target mapping with a semantic object and an action
- * An action
- * A semantic object

Q33. Which elements are part of a list report? Note: There are 2 correct Answers to this question.

- * Cards
- * Visual filters
- * Application header
- * Save as tile button

Q34. Which control can you use to create responsive table-free layouts?

- * sap.ui.layout.Grid Control
- * sap.ui.layout.ResponsiveFlowLayout
- * sap.ui.layout.VerticalLayout
- * sap.ui.layout.HorizontalLayout

Q35. In the source code below, which of the following locations must reference the extension point?

```
1 <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2   controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">
3   <page title="Title">
4     <content>
5       <label text="First name:">
6         <input>
7           <core:extensionpoint name="firstModuleName">
8             <label text="First name:">
9               <input type="text" value=""/>
10              <button text="Get Info" press="doGetInfo"></button>
11            </label>
12          </core:extensionpoint>
13        </label>
14      </content>
15    </page>
16 </core:view>
```

- * EmployeeData.controller.js
- * EmployeeData.view.xml
- * Component.js
- * Neo-app.json

Q36. Which SAP Fiori app types require the SAP HANA database? Note: There are 2 correct answers to this question.

- * Transactional
- * Legacy
- * Analytical
- * Factshest

Q37. What is the correct HTTP request method that is required to modify an ODATA resource?

- * CHANGE
- * PUT
- * POST
- * UPDATE

Q38. In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- * SAP Back-End Server (BES)

- * SAP Front-End Server (FES)
- * SAP HANA XS Engine
- * SAP Web Dispatcher

Q39. Which application types can you develop and deploy on the SAP Cloud platform Neo environment? Note:

There are 3 correct answers to this question.

- * Objective-C apps
- * NET apps
- * Java apps
- * HTMLS apps
- * HANA XS apps

Q40. Which SAP Fiori app types require the SAP HANA database?Note: There are 2 correct Answers to this question.

- * Transactional
- * Legacy
- * Analytical
- * Factsheet

Q41. What are some advantages of the Model View Controller (MVC) design pattern used in SAPUI5?Note:

There are 2 correct Answers to this question.

- * Allows changing the view without modifying the underlying business logic.
- * MVC artifacts can be transported and debugged separately.
- * Allows to define several views of the same data.
- * It supports quick coding.

Q42. In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- * SAP HANA XS Engine
- * SAP Back-End Server (BES)
- * SAP Web Dispatcher

Q43. You develop an SAPUI5 app that updates data on the SAP back-end system.What activities are required when you implement an XSRF token?Note: There are 2 correct Answers to this question.

- * Execute the Refresh method for an expired token.
- * Generate a token on each read and write request.
- * Retrieve the token and send it with each write request.
- * Include the token in the HTTP request body of each write request.

New (2023) SAP C-FIORDEV-22 Exam Dumps: https://www.braindumpsit.com/C-FIORDEV-22_real-exam.html