


## Easily To Pass New PEGACPLSA23V1 Verified & Correct Answers [Dec 19, 2024 [Q50-Q72]



Easily To Pass New PEGACPLSA23V1 Verified & Correct Answers [Dec 19, 2024  
Free PEGACPLSA23V1 Exam Files Downloaded Instantly

### NEW QUESTION 50

Which of the following types of testing are typically included in a comprehensive testing strategy?

(Select all that apply)

- \* Unit Testing
- \* Performance Testing
- \* Acceptance Testing
- \* User Interface (UI) Testing
- \* Regression Testing

### NEW QUESTION 51

What is the primary purpose of App Studio in Pega application development?

- \* To manage the deployment process and track application versions.
- \* To design and customize user interfaces for the application.
- \* To facilitate collaboration between business and IT teams.
- \* To create data models and define data relationships.

### NEW QUESTION 52

The goal of security is to maintain which three of the following concepts? (Choose Three)

- \* Availability
- \* Extensibility
- \* Maintainability
- \* Integrity
- \* Confidentiality

### NEW QUESTION 53

XYZ Corporation wants to ensure that every attempt by a developer to check a rule into a certain ruleset version is reviewed before that rule is allowed to be checked in.

The rule should be automatically sent back to the developer without being checked in if all warnings are not justified and the fields on the history tab are not complete.

How do you address this requirement?

- \* Prior to the first assignment in the ApproveRuleCheckin flow, add a decision shape where one output connector is equivalent to the submitting the SendBack flow action.
- \* Implement a CheckForCustomWarnings activity for each rule included in the requirement. The activity issues a warning whenever the requirement's history tab criteria are not met.
- \* Override the SendBack Flow Action adding a pre-activity that transfers the assignment to the create operator if the rule's criteria are not met.
- \* Override the FindReviewers decision tree to invoke a when rule that evaluates the criteria, if the when rule returns true, the decision tree returns SendBack.

### NEW QUESTION 54

What are some best practices for extending an existing data model in Pega applications? (Select all that apply)

- \* Avoiding direct changes to the core data classes to maintain upgradability.
- \* Creating separate copies of data classes for each extension to prevent conflicts.
- \* Using the 'Apply Data Model Changes' wizard to propagate changes to related applications.
- \* Collaborating with business stakeholders to define the scope and requirements of the extension.

### NEW QUESTION 55

XYZ corp expects managers to create a variety of reports. Those reports are always based on the same set of classes, but every report does not use every class in the set. to simplify report creation for managers, you create \_\_\_\_\_

- \* numerous sample reports showing how to join the classes
- \* association rules for the classes in this set
- \* a template report with every class join predefined
- \* a declare trigger that restricts report class joins to this set

### NEW QUESTION 56

When can problem flows be used to resolve flow issues in Pega applications? (Select all that apply)

- \* To handle unexpected errors or exceptions during case processing.
- \* To route cases to alternate paths based on changing business requirements.

- \* To create parallel processes that run simultaneously within a case.
- \* To automatically generate reports and dashboards for case analysis.

#### **NEW QUESTION 57**

What user type would exclusively use App Studio?

- \* Technical architects
- \* Lead System Architects
- \* Application developers
- \* Citizen Developers

#### **NEW QUESTION 58**

Event-driven architectures have three key components: event producers, brokers, and consumers.

- \* True
- \* False

#### **NEW QUESTION 59**

Which one of the following approaches supports a responsive user experience in devices with different resolutions?

- \* Identify the important layout in the section and set a responsive breakpoint.
- \* Identify the primary column in the table and set the responsive breakpoint.
- \* Identify the primary device and set responsive breakpoints based on that device.
- \* Always consider mobile as the primary device and create a UI that is suitable for mobile, so that by default the UI fits all other devices

#### **NEW QUESTION 60**

An existing process uses an integrator shape to exchange data with an external system.

Which of the following flows is used to send email correspondence for exceptions that occur with the integrator shape?

- \* pzStageProblems
- \* ConnectionProblem
- \* ProblemFlow
- \* FlowProblems

#### **NEW QUESTION 61**

What are the key considerations for maintaining data integrity in a Pega application? (Select all that apply)

- \* Enforcing referential integrity constraints between data tables.
- \* Utilizing unique keys and indexes to prevent duplicate data entries.
- \* Implementing scheduled data backups for disaster recovery.
- \* Creating data pages with write-only access to restrict data modifications.

#### **NEW QUESTION 62**

An HR application has an employee absentee report that is generated and sent to the respective managers on the following day based on the reporting structure.

Which of the following approaches best suits the requirement?

- \* Generate a report and use data pages to load the data and filter on the reporting manager for their direct reports.
- \* Generate a report based on the filters that are available as drop-down lists.
- \* Build separate reports with the proper filter conditions.
- \* Create appropriate reports by using subreports.

### NEW QUESTION 63

To secure a Pega application in production, which of the following is the best practice for password management?

- \* Storing passwords in plaintext format in a secure database.
- \* Implementing multi-factor authentication (MFA) for all user accounts.
- \* Sharing passwords with other team members through email.
- \* Using default passwords for application logins.

### NEW QUESTION 64

By default, queue processors run in the security context of which requestor type?

- \* Background
- \* AsyncProcessor
- \* Syncprocessor
- \* Batch

### NEW QUESTION 65

What are the benefits of defining a release pipeline? (Select all that apply)

- \* Reducing the frequency of deployments.
- \* Ensuring consistent and reliable releases.
- \* Facilitating collaboration between development and operations teams.
- \* Automating manual testing processes.
- \* Reducing the risk of production failures.

### NEW QUESTION 66

Which of the following statements are most accurate regarding the implementation of system of record integration? (Choose Two)

- \* Callback activities, such as OpenDefaults and PerformDefaults, can be modified to read system of record data when a work object is opened from the end user portal
- \* System of record integration should always be done procedurally so that the developer can explicitly determine when the integration should take place
- \* Declarative pages should be used in all system of record integration strategies
- \* Declarative pages are a useful mechanism to retrieve read-only system of record data as they are only executed when the data is referenced and are run regardless of when the data is accessed (e.g.

agent, UI, activity, etc)

- \* System of record integration should be considered after designing the work types and processes

### NEW QUESTION 67

Multiple case types within the Booking application's case hierarchy can produce FSG-Data-Pricing records, BookEvent and VehicleParking, for example. To generate a customer's invoice, the Booking team needs to collect every Pricing record related to a given BookEvent case.

Which of the following approaches should be used as part of solution?

- \* Define an FSG-Booking-Work-BookEvent Report Definition that defines a JOIN to FSG-Booking-Work-BookEvent aliased as CHILD. The JOIN compares pyOrigOrg values. The Query tab's filter condition compares CHILD.pzInsKey to the pxCoveredInsKeys ValueList which generates an ((A = B) or (A = C) or) clause.
- \* Define an SQL Function named isInCaseHierarchy() that takes two parameters, one being the passed- in pyID of the parent case, the other being the Reference property within the FSG-Data-Pricing record Pricing record.
- \* Define an FSG-Booking-Work subreport that uses Do Not JOIN rows. The main FSG-Booking-Work-BookEvent Report Definition declares a ParentKey parameter which is passed to the subreport. The subreport filters on pxCoveredInsKey = param.ParentKey. Main report filters on pzInsKey = SUBRPT.pxCoveredInsKey which generates an IN clause. The main report OR's that filter with pzInsKey

= param.ParentKey

- \* Define an FSG-Booking-Data-CaseHierarchy class. Within each row of that class, both the pyID of the BookEvent case and the pyID of a BookEvent child case are persisted. That generated table is joined to FSG-Data-Pricing's Reference property.

### NEW QUESTION 68

What are the two major differences between the Pega Web Mashup and Pega Digital Experience (DX) API? (Choose Two)

- \* DX API uses a Pega Platform application skin. Pega Web Mashup does not use a Pega Platform application skin.
- \* The DX API allows developers to build custom Pega Platform application front ends, as well as custom business logic.
- \* Pega Web Mashups are built with Pega Platform UI and are embedded directly in a web page.
- \* DX API gives UI developers more flexibility.

### NEW QUESTION 69

When merging Branch code, which two of the following methods can help address Rule conflicts?

(Choose Two)

- \* Ignore the conflicts and proceed with the merge.
- \* Review alert log Files.
- \* Use the Rule Comparison tool.
- \* Use the Performance Analyzer tool.
- \* Resolve the conflicts manually.

### NEW QUESTION 70

Which of the following best describes a Zero-Day Vulnerability?

- \* A vulnerability that has been present for zero days and cannot be exploited.
- \* A vulnerability that has not been discovered or publicly disclosed yet.
- \* A vulnerability that can be mitigated with zero-day patches.
- \* A vulnerability that affects zero-day old software only.

### NEW QUESTION 71

In the context of a DevOps Release pipeline, a user typically performs what three activities? (Choose Three)

- \* Collaborating and sharing rule modifications with fellow developers.
- \* Ensuring that existing features continue to operate as anticipated.
- \* Conducting unit tests.
- \* Approving the software and initiating its deployment to the production environment.
- \* Verifying that changes do not interfere with the work of other developers.

- \* Evaluating new functionalities.

## **NEW QUESTION 72**

When designing an effective case structure, which elements should be considered? (Select all that apply)

- \* The number of stages and steps required to complete the case.
- \* The level of integration with external systems and data sources.
- \* The availability of predefined templates for specific case types.
- \* The color scheme and layout of the case user interface.

**100% Pass Guaranteed Free PEGACPLSA23V1 Exam Dumps:**

[https://www.braindumpsit.com/PEGACPLSA23V1\\_real-exam.html](https://www.braindumpsit.com/PEGACPLSA23V1_real-exam.html)